



Turn to the experts

### How to Use These Pages

These combination ratings are designed as a quick reference for residential new construction. There are different pages for each available tonnage and furnace efficiency. The first three pages are 1.5 ton air conditioners with a page each for 80%, 92% and 95% AFUE furnaces. Within each of those sections, there are ratings with Carrier multipoise coils, ADP horizontal coils and ADP horizontal plenum coils.

**AHRI numbers shown in this document were accurate when this was published. Unfortunately, AHRI numbers change without notice and this document may not be 100% accurate in the future. Always check the validity of the AHRI numbers in this document and print a certificate for your job file.**

RNC System Selections: 3.0 Ton AC with 95% Furnaces

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1200 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipoise	59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	CAPMP3617ALA	0.32		15.00 / 12.50 14.50 / 12.00	33,200 33,200	207977216		
	59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	CAPMP4321ALA	0.16		16.00 / 13.00 15.20 / 12.50	34,600 34,800	207986709	Coil ≠ Furnace	
	59SC5B080E2120	1340 (Y)	GA5SAN436**WA*	CAPMP4321ALA	0.16		16.00 / 13.00 16.00 / 13.00	34,800 34,600	207986740		
	59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	CAPMP3617ALA	0.32		16.00 / 13.00 15.20 / 12.50	33,400 33,000	207977322	Ultra Low NOx Spacer Required	
	59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	CAPMP4321ALA	0.16		16.00 / 13.00 16.00 / 13.00	34,800 34,400	207986953	Ultra Low NOx Spacer Required	
	59TP6B080V2120	1625		GA7TAN436**WA*	CAPMP4821ALA	0.17		16.00 / 13.00 15.20 / 12.00	34,400 34,200	207841927	Two Stage
ADP Horizontal	59SC5B080E1716	1205 (Y)	34SCA536W**30*	CAPMP3617ALA	0.32		15.00 / 12.50 14.50 / 12.50	34,000 33,800	208558948	"Slimline"	
	59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	C36H175P149	0.31		16.00 / 13.00 15.20 / 12.50	33,800 33,800	208128997		
	59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	C36H175P459	0.35		16.00 / 13.00 15.20 / 13.00	34,600 34,400	208129004		
	59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	C36H175P149	0.31		16.00 / 13.00 15.20 / 12.50	34,000 33,600	208129025	Ultra Low NOx	
	59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	C36H175P159	0.26		16.00 / 13.00 15.20 / 13.00	34,400 33,400	208129027	Ultra Low NOx	
	59TP6B080V1716	1370		GA7TAN436**WA*	C36H175P149	0.31		16.00 / 13.00 16.00 / 12.50	33,800 33,000	208129813	Two Stage
ADP Plenum	59SC5B080E1716	1205 (Y)	34SCA536W**30*	C36H175P149	0.31		16.00 / 13.00 15.20 / 12.50	34,200 34,600	209226021	"Slimline"	
	59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	PL36H175P15935	0.26		16.00 / 13.00 15.20 / 12.50	34,400 34,400	208128998		
	59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	PL36H175P15935	0.26		16.00 / 13.00 15.20 / 13.00	34,400 33,400	208129026	Ultra Low NOx	
	59TP6B080V1716	1370		GA7TAN436**WA*	PL36H175P15935	0.26		17.00 / 12.50 16.00 / 13.00	34,000 33,600	208129814	Two Stage
	59SC5B080E1716	1205 (Y)	34SCA536W**30*	PL36H175P15935	0.26		16.00 / 13.00 15.20 / 13.00	35,000 34,000	209226022	"Slimline"	

The top of each page describes the air conditioner nominal tonnage and the furnace efficiency.

The coils are sorted by Carrier Multipoise, ADP Horizontal and ADP

Carrier always recommends designing to 0.5" ESP. Airflow at 0.8" is shown. You'll notice that many furnaces seem oversized, but that's because 350 CFM/ton is the minimum and smaller models are too low or too close.

Ultra low NOx furnaces are shaded in orange while two stage furnaces are

To achieve more appropriate airflow, sometimes a different speed should be set by the installer. The required wire color needed for the airflow shown is noted. On the two-stage models, (M) refers to the maximum airflow dip switch

In addition to the GA5SAN, some sizes also show the phasing out CA16NW printed in red, two-stage product highlighted in green and the "Slimline" product highlighted in blue. The GA5SAN449 and 61 sizes are

For each AHRI number, Appendix M ratings (SEER/EER) are shown in gray while Appendix M1 ratings (SEER<sub>2</sub>/EER<sub>2</sub>) are in white. On January 1, 2023, the Appendix M ratings will be listed as "Production Stopped" in the AHRI directory.

It's noted when the coil width does not match the furnace width.

With the Carrier CAPMP coil and an ultra low NOx furnace, a field installed spacer is required.

The pressure drop through a wet coil at 400 CFM/ton is shown. This and a good duct design are very important.

Always verify the AHRI number online and print the certificate for

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 1.5 Ton AC with 80% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 600 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipoise	58SB1A045E1412	735 (Y)	GA5SAN418**WA*	CAPMP2414ALA	0.12		16.50 / 14.50	18,000	207890446		
							15.20 / 13.00	17,900			
	58SB1A045E1412	735 (Y)	GA5SAN418**WA*	CAPMP3014ALA	0.11			16.50 / 14.50	18,200	207892625	
								16.00 / 13.00	18,100		
	58SU0A040E1712	765 (Y)	GA5SAN418**WA*	CAPMP3017ALA	0.10			17.00 / 14.50	18,000	207893256	Ultra Low NOx Spacer Required
	58SB1A045E1412	735 (Y)	34SCA518W**30*	CAPMP2414ALA	0.12			17.00 / 14.00	17,700	208554774	"Slimline"
15.00 / 12.50								17,500			
ADP Horizontal	58SB1A045E1412	735 (Y)	GA5SAN418**WA*	C36H145P039	0.20		16.00 / 13.00	17,500	208128313		
							15.20 / 13.00	17,400			
	58SB1A045E1412	735 (Y)	GA5SAN418**WA*	C36H145P429	0.12			17.00 / 13.00	18,200	208128314	
								16.00 / 13.50	18,000		
	58SU0A040E1712	765 (Y)	GA5SAN418**WA*	C36H175P149	0.08			17.00 / 13.00	18,500	208131314	Ultra Low NOx
								16.00 / 13.00	18,500		
	58SU0A040E1712	765 (Y)	GA5SAN418**WA*	C36H175P159	0.07			17.00 / 13.00	18,500	208131316	Ultra Low NOx
								16.00 / 13.50	18,500		
	58SB1A045E1412	735 (Y)	34SCA518W**30*	C36H145P039	0.20			16.00 / 13.00	17,100	209224091	"Slimline"
								15.20 / 12.50	17,000		
ADP Plenum	58SB1A045E1712	825 (B)	GA5SAN418**WA*	PL36H175P15935	0.07		17.00 / 13.00	18,200	208128325		
							16.00 / 13.00	18,400			
	58SU0A040E1712	765 (Y)	GA5SAN418**WA*	PL36H175P15935	0.07			17.00 / 13.00	18,500	208131315	Ultra Low NOx
								16.00 / 13.50	18,500		
	58SB1A045E1412	735 (Y)	34SCA518W**30*	PL36H175P15935	0.07			17.00 / 13.00	17,800	209224098	"Slimline"
16.00 / 13.50								17,800			

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

### RNC System Selections: 1.5 Ton AC with 92% Furnaces

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 600 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipoise	59SC2D040E1410	660 (Y)	GA5SAN418**WA*	CAPMP2414ALA	0.12		16.00 / 13.00	17,600	207890553		
							15.20 / 12.50	17,700			
	59SC2D040E1410	660 (Y)	GA5SAN418**WA*	CAPMP3014ALA	0.11			16.00 / 13.00	17,700	207892732	
								15.20 / 12.50	17,900		
	59SC2D040E1712	640 (Y)	GA5SAN418**WA*	CAPMP3017ALA	0.10			16.00 / 13.00	18,000	207893472	
								15.20 / 12.50	17,900		
59SC2D040E1410	660 (Y)	34SCA518W**30*	CAPMP2414ALA	0.12			16.00 / 13.00	17,200	208554776	"Slimline"	
							15.00 / 12.50	17,300			
ADP Horizontal	59SC2D040E1410	660 (Y)	GA5SAN418**WA*	C36H145P039	0.20		15.00 / 12.50	17,800	208128328		
							15.20 / 12.00	17,200			
	59SC2D040E1410	660 (Y)	GA5SAN418**WA*	C36H145P429	0.12			16.00 / 13.00	18,600	208128329	
								15.20 / 12.50	17,900		
	59SC2D040E1712	640 (Y)	GA5SAN418**WA*	C36H175P159	0.07			16.00 / 13.00	18,100	208128342	
								15.20 / 13.00	17,800		
59SC2D040E1410	660 (Y)	34SCA518W**30*	C36H145P219	0.12			16.00 / 13.00	18,000	209224236	"Slimline"	
							15.20 / 12.50	17,600			
ADP Plenti	59SC2D040E1712	640 (Y)	GA5SAN418**WA*	PL36H175P15935	0.07		16.00 / 13.00	18,100	208128341		
							15.20 / 13.00	17,800			
	59SC2D040E1712	640 (Y)	34SCA518W**30*	PL36H175P15935	0.07			17.00 / 13.00	17,500	209224248	"Slimline"
							15.20 / 13.00	17,400			

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 1.5 Ton AC with 95% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 600 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multiphoise	59SC5B040E1410	715 (Y)	GA5SAN418**WA*	CAPMP2414ALA	0.12		16.00 / 13.00	17,800	207890625		
							15.20 / 12.50	17,700			
	59SC5B040E1410	715 (Y)	GA5SAN418**WA*	CAPMP3014ALA	0.11			16.00 / 13.00	17,900	207892804	
								15.20 / 12.50	17,800		
	59SC5B040E1712	640 (Y)	GA5SAN418**WA*	CAPMP3017ALA	0.10			16.00 / 13.00	17,800	207893568	
								15.00 / 12.50	17,400		
	59SU5A040E1712	702 (Y)	GA5SAN418**WA*	CAPMP3017ALA	0.10			16.50 / 14.50	18,100	207893730	Ultra Low NOx Spacer Required
	59SC5B040E1410	715 (Y)	34SCA518W**30*	CAPMP2414ALA	0.12			16.00 / 13.00	17,400	208554768	"Slimline"
								15.00 / 12.50	17,300		
	ADP Horizontal	59SC5B040E1410	715 (Y)	GA5SAN418**WA*	C36H145P039	0.20		16.00 / 12.50	17,300	208128371	
15.20 / 12.00								17,200			
59SC5B040E1410		715 (Y)	GA5SAN418**WA*	C36H145P429	0.12			16.00 / 13.00	17,800	208128373	
								15.20 / 12.50	17,900		
59SC5B040E1712		640 (Y)	GA5SAN418**WA*	C36H175P159	0.07			16.00 / 13.00	18,300	208128386	
								15.20 / 13.00	18,500		
59SU5A040E1712		702 (Y)	GA5SAN418**WA*	C36H175P149	0.08			17.00 / 13.00	18,200	208128414	Ultra Low NOx
59SU5A040E1712		702 (Y)	GA5SAN418**WA*	C36H175P159	0.07			17.00 / 13.00	18,200	208128416	Ultra Low NOx
								16.00 / 13.00	17,900		
59SC5B040E1410		715 (Y)	34SCA518W**30*	C36H145P039	0.20			16.00 / 12.50	16,600	209224284	"Slimline"
	15.20 / 11.50							16,200			
ADP Plenum	59SC5B040E1712	640 (Y)	GA5SAN418**WA*	PL36H175P15935	0.07		16.00 / 13.00	18,300	208128385		
							15.20 / 13.00	18,000			
	59SU5A040E1712	702 (Y)	GA5SAN418**WA*	PL36H175P15935	0.07			17.00 / 13.00	18,200	208128415	Ultra Low NOx
								16.00 / 13.00	17,900		
	59SC5B040E1712	640 (Y)	34SCA518W**30*	PL36H175P15935	0.07			16.00 / 13.00	17,900	209224305	"Slimline"
15.00 / 13.00								17,900			

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 2.0 Ton AC with 80% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 800 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipurpose	58SB1A045E1412	735 (Y)	GA5SAN424**WA*	CAPMP2414ALA	0.20		16.00 / 13.00 15.20 / 12.50	23,400 23,400	207908916	
	58SB1A045E1412	735 (Y)	GA5SAN424**WA*	CAPMP3014ALA	0.18		16.00 / 13.00 15.20 / 12.50	23,600 23,600	207911191	
	58SB1A070E1412	840 (Y)	GA5SAN424**WA*	CAPMP3017ALA	0.16		16.00 / 13.00 15.20 / 12.50	23,400 23,400	207911619	Coil ≠ Furnace
	58SB1A070E1412	840 (Y)	GA5SAN424**WA*	CAPMP3617ALA	0.17		16.50 / 14.00 16.00 / 13.00	23,400 23,600	207912639	Coil ≠ Furnace
	58SU0A040E1712	765 (Y)	GA5SAN424**WA*	CAPMP3017ALA	0.16		16.50 / 14.00 16.00 / 13.00	23,400 23,200	207911727	Ultra Low NOx Spacer Required
	58TP1A045V1412	800	GA7TAN424**WA*	CAPMP3617ALA	0.17		17.00 / 13.00 16.00 / 12.00	22,600 22,800	207829090	Two Stage
	58SB1A045E1412	735 (Y)	34SCA524W**30*	CAPMP3014ALA	0.18		16.00 / 13.00 15.00 / 12.50	23,600 23,600	208555671	"Slimline"
ADP Horizontal	58SB1A045E1412	735 (Y)	GA5SAN424**WA*	C36H145P039	0.21		16.00 / 12.50 15.20 / 12.00	22,200 22,200	208128419	
	58SB1A045E1412	735 (Y)	GA5SAN424**WA*	C36H145P429	0.18		16.00 / 13.00 16.00 / 12.50	23,800 23,400	208128421	
	58SU0A040E1712	765 (Y)	GA5SAN424**WA*	C36H175P149	0.14		17.00 / 13.00 16.00 / 13.00	23,600 23,400	208131326	Ultra Low NOx
	58SU0A040E1712	765 (Y)	GA5SAN424**WA*	C36H175P159	0.12		17.00 / 13.00 16.00 / 13.50	24,400 23,200	208131328	Ultra Low NOx
	58TP1A045V1412	800	GA7TAN424**WA*	C36H145P429	0.18		17.00 / 13.00 16.00 / 13.00	22,600 23,000	208129603	Two Stage
	58SB1A045E1412	735 (Y)	34SCA524W**30*	C36H145P429	0.18		16.00 / 13.00 15.20 / 12.50	23,800 23,800	209224449	"Slimline"
ADP Plenum	58SB1A070E1712	865	GA5SAN424**WA*	PL36H175P15935	0.12		17.00 / 13.00 16.00 / 13.00	23,800 24,000	208128460	
	58SU0A040E1712	765 (Y)	GA5SAN424**WA*	PL36H175P15935	0.12		17.00 / 13.00 16.00 / 13.50	24,400 23,200	208131327	Ultra Low NOx
	58TP1A045V1412	800	GA7TAN424**WA*	PL36H175P15935	0.12		17.00 / 13.00 16.00 / 13.50	22,800 23,000	208129607	Two Stage
	58SB1A070E1712	865	34SCA524W**30*	PL36H175P15935	0.12		16.00 / 13.00 15.20 / 13.00	23,800 23,600	209224496	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 2.0 Ton AC with 92% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 800 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipoise	59SC2D060E1412	740 (Y)	GA5SAN424**WA*	CAPMP2414ALA	0.20		16.00 / 13.00 15.20 / 12.50	23,400 23,400	207909047	
	59SC2D060E1412	740 (Y)	GA5SAN424**WA*	CAPMP3014ALA	0.18		16.00 / 13.00 15.20 / 12.50	23,600 23,600	207911322	
	59SC2D060E1714	825 (Y)	GA5SAN424**WA*	CAPMP3017ALA	0.16		16.50 / 14.00 15.20 / 12.50	23,800 23,400	207912015	
	59SC2D060E1714	825 (Y)	GA5SAN424**WA*	CAPMP3617ALA	0.17		16.50 / 14.00 16.00 / 13.00	23,800 23,600	207913035	
	59SC2D060E1412	740 (Y)	34SCA524W**30*	CAPMP3014ALA	0.18		16.00 / 13.00 15.00 / 12.50	23,600 23,600	208555672	"Slimline"
ADP Horizontal	59SC2D060E1412	740 (Y)	GA5SAN424**WA*	C36H145P039	0.21		16.00 / 12.50 15.20 / 12.00	22,200 22,200	208128504	
	59SC2D060E1412	740 (Y)	GA5SAN424**WA*	C36H145P429	0.18		16.00 / 13.00 16.00 / 12.50	23,800 23,400	208128508	
	59SC2D060E1714	825 (Y)	GA5SAN424**WA*	C36H175P149	0.14		17.00 / 13.00 16.00 / 13.00	24,000 23,600	208128525	
	59SC2D060E1412	740 (Y)	34SCA524W**30*	C36H145P219	0.17		16.00 / 13.00 15.20 / 13.00	23,800 23,400	209224638	"Slimline"
	59SC2D060E1714	825 (Y)	GA5SAN424**WA*	PL36H175P15935	0.12		17.00 / 13.00 16.00 / 13.50	24,200 23,600	208128526	
ADP Pleni	59SC2D060E1714	825 (Y)	34SCA524W**30*	PL36H175P15935	0.12		16.00 / 13.00 15.20 / 13.00	24,000 23,600	209224647	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 2.0 Ton AC with 95% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 800 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipoise	59SC5B060E1412	905 (Y)	GA5SAN424**WA*	CAPMP2414ALA	0.20		16.00 / 13.00 15.20 / 12.50	23,200 23,200	207909119	
	59SC5B060E1412	905 (Y)	GA5SAN424**WA*	CAPMP3014ALA	0.18		16.00 / 13.00 15.20 / 12.50	23,400 23,400	207911394	
	59SC5B060E1714	970 (Y)	GA5SAN424**WA*	CAPMP3017ALA	0.16		16.00 / 13.00 15.20 / 12.50	23,200 23,600	207912159	
	59SU5A040E1712	702 (Y)	GA5SAN424**WA*	CAPMP3017ALA	0.16		16.00 / 13.00 15.20 / 12.50	23,600 23,600	207912273	Ultra Low NOx Spacer Required
	59SU5A060E1716	925 (B)	GA5SAN424**WA*	CAPMP3617ALA	0.17		16.00 / 13.00 16.00 / 13.00	24,200 23,400	207913316	Ultra Low NOx Spacer Required
	59TP6B060V1714	1075	GA7TAN424**WA*	CAPMP3617ALA	0.17		17.00 / 13.00 15.20 / 12.00	22,800 22,400	207829299	Two Stage
	59SC5B060E1714	970 (Y)	34SCA524W**30*	CAPMP3617ALA	0.17		16.00 / 13.00 15.00 / 12.50	23,200 23,800	208555765	"Slimline"
ADP Horizontal	59SC5B060E1412	905 (Y)	GA5SAN424**WA*	C36H145P429	0.18		16.00 / 13.00 15.20 / 12.50	23,600 23,600	208128571	
	59SC5B060E1714	800 (O)	GA5SAN424**WA*	C36H175P459	0.13		16.00 / 13.00 16.00 / 13.50	24,800 23,600	208128592	
	59SU5A040E1712	702 (Y)	GA5SAN424**WA*	C36H175P149	0.14		16.00 / 13.00 15.20 / 13.00	23,800 23,400	208128597	Ultra Low NOx
	59SU5A060E1716	925 (B)	GA5SAN424**WA*	C36H175P459	0.13		17.00 / 13.00 16.00 / 13.50	25,000 23,800	208128616	Ultra Low NOx
	59TP6B040V1712	950	GA7TAN424**WA*	C36H175P149	0.14		16.00 / 13.00 16.00 / 12.00	22,800 21,800	208129669	Two Stage
	59SC5B060E1412	905 (Y)	34SCA524W**30*	C36H145P429	0.18		16.00 / 13.00 15.20 / 12.50	23,600 23,600	209224688	"Slimline"
ADP Plenum	59SC5B060E1714	970 (Y)	GA5SAN424**WA*	PL36H175P15935	0.12		16.00 / 13.00 15.20 / 13.00	24,200 23,800	208128586	
	59SU5A060E1716	925 (B)	GA5SAN424**WA*	PL36H175P15935	0.12		17.00 / 13.00 16.00 / 13.50	24,600 23,400	208128610	Ultra Low NOx
	59TP6B040V1712	950	GA7TAN424**WA*	PL36H175P15935	0.12		17.00 / 12.50 16.00 / 12.00	22,600 22,000	208129670	Two Stage
	59SC5B060E1714	970 (Y)	34SCA524W**30*	PL36H175P15935	0.12		16.00 / 13.00 15.20 / 13.00	23,400 23,800	209224706	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 2.5 Ton AC with 80% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1000 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipoise	58SB1A070E1716	1140 (Y)	GA5SAN430**WA*	CAPMP3017ALA	0.23		16.00 / 13.00 15.20 / 12.50	29,000 28,200	207927336	
	58SB1A070E1716	1140 (Y)	GA5SAN430**WA*	CAPMP3617ALA	0.24		16.00 / 13.00 15.20 / 12.50	29,200 28,400	207928657	
	58SB1A070E1716	1140 (Y)	GA5SAN430**WA*	CAPMP4321ALA	0.11		16.00 / 13.00 16.00 / 13.00	30,200 29,400	207937911	Coil ≠ Furnace
	58SB1A070E2116	975 (B)	GA5SAN430**WA*	CAPMP4321ALA	0.11		16.50 / 13.50 16.00 / 13.00	29,600 29,400	207937941	
	58SU0A060E1716	1160 (Y)	GA5SAN430**WA*	CAPMP3017ALA	0.23		16.00 / 13.00 15.20 / 12.50	29,000 28,200	207927508	Ultra Low NOx Spacer Required
	58SU0A060E1716	1160 (Y)	GA5SAN430**WA*	CAPMP4321ALA	0.11		16.50 / 13.50 16.00 / 13.00	30,200 29,200	207938241	Ultra Low NOx Spacer Required
	58SB1A070E1716	1140 (Y)	34SCA530W**30*	CAPMP3617ALA	0.24		16.00 / 13.00 15.00 / 12.50	28,000 27,400	208556964	"Slimline"
ADP Horizontal	58SB1A070E1716	970 (B)	GA5SAN430**WA*	C36H175P149	0.22		16.00 / 13.00 15.20 / 12.50	29,600 28,800	208128669	
	58SB1A070E1716	970 (B)	GA5SAN430**WA*	C36H175P159	0.18		16.00 / 13.00 15.20 / 13.00	30,000 28,400	208128671	
	58SU0A060E1716	1160 (Y)	GA5SAN430**WA*	C36H175P149	0.22		16.00 / 13.00 16.00 / 13.00	29,600 28,600	208131362	Ultra Low NOx
	58SU0A060E1716	1160 (Y)	GA5SAN430**WA*	C36H175P159	0.18		16.00 / 13.00 16.00 / 13.00	30,000 28,800	208131364	Ultra Low NOx
	58SB1A070E1716	1140 (Y)	34SCA530W**30*	C36H175P149	0.22		16.00 / 13.00 15.20 / 12.50	28,400 27,600	209224934	"Slimline"
ADP Plenum	58SB1A070E1716	970 (B)	GA5SAN430**WA*	PL36H175P15935	0.18		16.00 / 13.00 15.20 / 13.00	30,000 28,400	208128670	
	58SU0A060E1716	1160 (Y)	GA5SAN430**WA*	PL36H175P15935	0.18		16.00 / 13.00 16.00 / 13.00	30,000 28,800	208131363	Ultra Low NOx
	58SB1A070E1716	1140 (Y)	34SCA530W**30*	PL36H175P15935	0.18		16.00 / 13.00 15.20 / 13.00	28,600 27,400	209224936	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 2.5 Ton AC with 92% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1000 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipoise	59SC2D060E1714	1040	GA5SAN430**WA*	CAPMP3017ALA	0.23		16.00 / 13.00	28,600	207927849		
							15.20 / 12.50	28,400			
	59SC2D060E1714	1040	GA5SAN430**WA*	CAPMP3617ALA	0.24			16.00 / 13.00	28,800	207929170	
								15.20 / 12.50	28,600		
	59SC2D080E2120	1650	GA5SAN430**WA*	CAPMP4321ALA	0.11			16.50 / 13.50	30,400	207938824	
								16.00 / 13.00	29,400		
59SC2D060E1714	1040	34SCA530W**30*	CAPMP3617ALA	0.24			16.00 / 13.00	27,800	208556996	"Slimline"	
							15.00 / 12.50	27,400			
ADP Horizontal	59SC2D060E1714	1040	GA5SAN430**WA*	C36H175P149	0.22		16.00 / 13.00	29,200	208128731		
							16.00 / 12.00	28,800			
	59SC2D060E1714	1040	GA5SAN430**WA*	C36H175P159	0.18			16.00 / 13.00	29,400	208128734	
								16.00 / 12.50	29,200		
	59SC2D060E1714	1040	GA5SAN430**WA*	C36H175P456	0.25			16.00 / 13.00	29,600	208128739	
								16.00 / 13.50	28,600		
59SC2D060E1714	1040	34SCA530W**30*	C36H175P149	0.22			16.00 / 13.00	28,000	209225239	"Slimline"	
							15.20 / 12.50	27,800			
ADP Plenti	59SC2D060E1714	1040	GA5SAN430**WA*	PL36H175P15935	0.18		16.00 / 13.00	29,400	208128733		
							16.00 / 12.50	29,200			
	59SC2D060E1714	1040	34SCA530W**30*	PL36H175P15935	0.18			16.00 / 13.00	28,200	209225240	"Slimline"
							15.20 / 13.00	27,600			

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 2.5 Ton AC with 95% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1000 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipurpose	59SC5B060E1714	970 (Y)	GA5SAN430**WA*	CAPMP3017ALA	0.23		15.50 / 12.50 15.20 / 12.20	28,600 28,000	207928004	
	59SC5B060E1714	970 (Y)	GA5SAN430**WA*	CAPMP3617ALA	0.24		16.00 / 13.00 15.20 / 12.50	28,800 28,000	207929356	
	59SC5B060E1714	970 (Y)	GA5SAN430**WA*	CAPMP4321ALA	0.11		16.00 / 13.00 15.20 / 12.50	29,800 29,000	207938917	Coil ≠ Furnace
	59SC5B080E2120	1125 (O)	GA5SAN430**WA*	CAPMP4321ALA	0.11		16.00 / 13.00 16.00 / 13.00	30,200 29,000	207938979	
	59SU5A060E1716	1180 (Y)	GA5SAN430**WA*	CAPMP3617ALA	0.24		16.00 / 13.00 15.20 / 12.50	28,600 28,400	207929548	Ultra Low NOx Spacer Required
	59SU5A060E1716	1180 (Y)	GA5SAN430**WA*	CAPMP4321ALA	0.11		16.00 / 13.00 16.00 / 12.50	29,600 29,400	207939196	Ultra Low NOx Spacer Required
	59SC5B060E1714	970 (Y)	34SCA530W**30*	CAPMP3617ALA	0.24		16.00 / 13.00 15.00 / 12.50	27,600 27,000	208556998	"Slimline"
ADP Horizontal	59SC5B060E1714	970 (Y)	GA5SAN430**WA*	C36H175P149	0.22		16.00 / 13.00 15.20 / 12.50	29,200 28,400	208128801	
	59SC5B060E1714	970 (Y)	GA5SAN430**WA*	C36H175P456	0.25		16.00 / 13.00 16.00 / 13.00	29,600 28,200	208128808	
	59SU5A060E1716	1180 (Y)	GA5SAN430**WA*	C36H175P149	0.22		16.00 / 13.00 15.20 / 12.50	29,000 28,800	208128837	Ultra Low NOx
	59SU5A060E1716	1180 (Y)	GA5SAN430**WA*	C36H175P456	0.25		16.00 / 13.00 16.00 / 13.00	29,400 28,600	208128844	Ultra Low NOx
	59SC5B060E1714	970 (Y)	34SCA530W**30*	C36H175P149	0.22		16.00 / 13.00 15.20 / 12.50	28,000 27,200	209225318	"Slimline"
	59SC5B060E1714	970 (Y)	GA5SAN430**WA*	PL36H175P15935	0.18		16.00 / 13.00 15.20 / 13.00	29,600 28,200	208128802	
ADP Plenum	59SU5A060E1716	1180 (Y)	GA5SAN430**WA*	PL36H175P15935	0.18		16.00 / 13.00 15.20 / 13.00	29,200 28,400	208128838	Ultra Low NOx
	59SC5B060E1714	970 (Y)	34SCA530W**30*	PL36H175P15935	0.18		16.00 / 13.00 15.20 / 13.00	28,200 27,200	209225319	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 3.0 Ton AC with 80% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1200 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipoise	58SB1A070E1716	1140 (Y)	GA5SAN436**WA*	CAPMP3617ALA	0.32		16.00 / 13.00 15.20 / 12.50	33,400 33,000	207976672	
	58SB1A070E2116	1135 (Y)	GA5SAN436**WA*	CAPMP4321ALA	0.16		16.00 / 13.00 16.00 / 13.00	35,000 34,800	207985738	
	58SU0A060E1716	1160 (Y)	GA5SAN436**WA*	CAPMP3617ALA	0.32		16.00 / 13.00 15.20 / 12.50	33,400 33,200	207976844	Ultra Low NOx Spacer Required
	58SU0A060E1716	1160 (Y)	GA5SAN436**WA*	CAPMP4321ALA	0.16		16.50 / 14.00 16.00 / 13.00	34,800 34,600	207986038	Ultra Low NOx Spacer Required
	58TP1A070V1716	1365	GA7TAN436**WA*	CAPMP3617ALA	0.32		16.00 / 12.50 15.50 / 12.00	33,400 32,800	207838157	Two Stage
	58SB1A070E1716	1140 (Y)	34SCA536W**30*	CAPMP3617ALA	0.32		16.00 / 13.00 15.00 / 12.50	34,000 33,600	208558914	"Slimline"
ADP Horizontal	58SB1A070E1716	1140 (Y)	GA5SAN436**WA*	C36H175P149	0.31		16.00 / 13.00 15.20 / 12.50	34,000 33,600	208128895	
	58SB1A070E1716	1140 (Y)	GA5SAN436**WA*	C36H175P159	0.26		16.00 / 13.00 15.20 / 13.00	34,600 33,000	208128897	
	58SU0A060E1716	1160 (Y)	GA5SAN436**WA*	C36H175P149	0.31		16.00 / 13.00 16.00 / 12.50	34,000 33,800	208131386	Ultra Low NOx
	58SU0A060E1716	1160 (Y)	GA5SAN436**WA*	C36H175P159	0.26		16.00 / 13.00 16.00 / 13.00	34,600 34,400	208131388	Ultra Low NOx
	58TP1A070V1716	1365	GA7TAN436**WA*	C36H175P149	0.31		17.00 / 12.50 16.00 / 12.50	33,600 33,400	208129766	Two Stage
	58SB1A070E1716	1140 (Y)	34SCA536W**30*	C36H175P149	0.31		16.00 / 13.00 15.20 / 12.50	34,600 34,200	209225620	"Slimline"
ADP Plenum	58SB1A070E1716	1140 (Y)	GA5SAN436**WA*	PL36H175P15935	0.26		16.00 / 13.00 15.20 / 13.00	34,600 33,000	208128896	
	58SU0A060E1716	1160 (Y)	GA5SAN436**WA*	PL36H175P15935	0.26		16.00 / 13.00 16.00 / 13.00	34,600 34,400	208131387	Ultra Low NOx
	58TP1A070V1716	1365	GA7TAN436**WA*	PL36H175P15935	0.26		17.00 / 12.50 16.00 / 13.00	34,200 33,800	208129767	Two Stage
	58SB1A070E1716	1140 (Y)	34SCA536W**30*	PL36H175P15935	0.26		16.00 / 13.00 15.20 / 13.00	35,000 34,000	209225621	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

### RNC System Selections: 3.0 Ton AC with 92% Furnaces

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1200 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipoi	59SC2D080E1716	1225	GA5SAN436**WA*	CAPMP3617ALA	0.32		16.00 / 13.00	33,600	207977123		
							15.20 / 12.50	33,400			
	59SC2D080E2120	1650	GA5SAN436**WA*	CAPMP4321ALA	0.16			16.50 / 14.00	35,000	207986590	
								16.00 / 13.00	34,800		
	59SC2D080E1716	1225	34SCA536W**30*	CAPMP4821ALA	0.17			16.00 / 13.00	34,600	208559436	"Slimline"
								15.00 / 12.50	34,200		
ADP Horizontal	59SC2D080E1716	1225	GA5SAN436**WA*	C36H175P149	0.31		16.00 / 13.00	34,400	208128946		
							16.00 / 12.50	33,000			
	59SC2D080E1716	1225	GA5SAN436**WA*	C36H175P156	0.26			16.00 / 13.00	34,800	208128948	
								16.00 / 12.50	33,600		
	59SC2D080E1716	1225	GA5SAN436**WA*	C36H175P456	0.35			16.00 / 13.00	35,200	208128953	
								16.00 / 13.50	33,400		
	59SC2D080E1716	1225	34SCA536W**30*	C36H175P149	0.31			16.00 / 13.00	35,000	209225965	"Slimline"
								16.00 / 12.50	33,600		
ADP Pleni	59SC2D080E1716	1225	GA5SAN436**WA*	PL36H175P15935	0.26		16.00 / 13.00	34,800	208128947		
							16.00 / 12.50	33,600			
	59SC2D080E1716	1225	34SCA536W**30*	PL36H175P15935	0.26			16.00 / 13.00	35,400	209225966	"Slimline"
								16.00 / 12.50	34,200		

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

Sigler Wholesale Distributors  
 Ratings and Match-Ups for Engineers and Energy Consultants  
 Effective March 24, 2023

### RNC System Selections: 3.0 Ton AC with 95% Furnaces

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1200 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipurpose	59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	CAPMP3617ALA	0.32		15.00 / 12.50 14.50 / 12.00	33,200 33,200	207977216		
	59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	CAPMP4321ALA	0.16		16.00 / 13.00 15.20 / 12.50	34,600 34,800	207986709	Coil ≠ Furnace	
	59SC5B080E2120	1340 (Y)	GA5SAN436**WA*	CAPMP4321ALA	0.16		16.00 / 13.00 16.00 / 13.00	34,800 34,600	207986740		
	59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	CAPMP3617ALA	0.32		16.00 / 13.00 15.20 / 12.50	33,400 33,000	207977322	Ultra Low NOx Spacer Required	
	59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	CAPMP4321ALA	0.16		16.00 / 13.00 16.00 / 13.00	34,800 34,400	207986953	Ultra Low NOx Spacer Required	
	59TP6B080V2120	1625	GA7TAN436**WA*	CAPMP4821ALA	0.17		16.00 / 13.00 15.20 / 12.00	34,400 34,200	207841927	Two Stage	
	59SC5B080E1716	1205 (Y)	34SCA536W**30*	CAPMP3617ALA	0.32		15.00 / 12.50 14.50 / 12.50	34,000 33,800	208558948	"Slimline"	
	ADP Horizontal	59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	C36H175P149	0.31		16.00 / 13.00 15.20 / 12.50	33,800 33,800	208128997	
		59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	C36H175P459	0.35		16.00 / 13.00 15.20 / 13.00	34,600 34,400	208129004	
		59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	C36H175P149	0.31		16.00 / 13.00 15.20 / 12.50	34,000 33,600	208129025	Ultra Low NOx
59SU5A060E1716		1180 (Y)	GA5SAN436**WA*	C36H175P159	0.26		16.00 / 13.00 15.20 / 13.00	34,400 33,400	208129027	Ultra Low NOx	
59TP6B080V1716		1370	GA7TAN436**WA*	C36H175P149	0.31		16.00 / 13.00 16.00 / 12.50	33,800 33,000	208129813	Two Stage	
59SC5B080E1716		1205 (Y)	34SCA536W**30*	C36H175P149	0.31		16.00 / 13.00 15.20 / 12.50	34,200 34,600	209226021	"Slimline"	
ADP Plenum		59SC5B080E1716	1205 (Y)	GA5SAN436**WA*	PL36H175P15935	0.26		16.00 / 13.00 15.20 / 12.50	34,400 34,400	208128998	
		59SU5A060E1716	1180 (Y)	GA5SAN436**WA*	PL36H175P15935	0.26		16.00 / 13.00 15.20 / 13.00	34,400 33,400	208129026	Ultra Low NOx
		59TP6B080V1716	1370	GA7TAN436**WA*	PL36H175P15935	0.26		17.00 / 12.50 16.00 / 13.00	34,000 33,600	208129814	Two Stage
		59SC5B080E1716	1205 (Y)	34SCA536W**30*	PL36H175P15935	0.26		16.00 / 13.00 15.20 / 13.00	35,000 34,000	209226022	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 3.5 Ton AC with 80% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1400 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multiphoise	58SB1A070E2116	1405	GA5SAN442**WA*	CAPMP4821ALA	0.23		15.00 / 12.50	45,000	208029703		
							14.50 / 12.00	45,000			
	58SB1A070E2116	1405	GA5SAN442**WA*	CAPMP4321ALA	0.22			15.00 / 12.50	45,000	208027924	
								15.00 / 12.50	45,000		
	58SB1A070E2116	1405	CA16NW043*0**B*	CAPMP4821ALA	0.23			15.00 / 12.50	40,000	203210121	
								15.20 / 12.50	38,500		
58SU0A080E2120	1520 (Y)	GA5SAN442**WA*	CAPMP4821ALA	0.23			15.00 / 12.50	45,000	208030034	Ultra Low NOx Spacer Required	
							15.00 / 12.50	45,000			
58SU0A080E2120	1520 (Y)	CA16NW043*0**B*	CAPMP4321ALA	0.22			16.00 / 13.00	41,000	202501644	Ultra Low NOx Spacer Required	
							15.20 / 12.50	40,000			
ADP Horizontal	58SB1A070E1716	1415	GA5SAN442**WA*	C48H175P159	0.36		15.00 / 12.50	45,000	208129034		
							15.00 / 12.00	43,500			
	58SB1A070E2116	1405	GA5SAN442**WA*	C60H210P299	0.16			15.50 / 13.00	47,500	208876408	
								15.20 / 13.00	45,000		
	58SB1A070E2116	1405	CA16NW043*0**B*	C60H210P299	0.16			15.00 / 12.50	41,000	203998647	
								15.20 / 13.00	39,000		
58SU0A080E2120	1520 (Y)	GA5SAN442**WA*	C60H210P299	0.16			16.00 / 13.00	45,000	208131414	Ultra Low NOx	
							15.20 / 13.00	45,000			
58SU0A080E2120	1520 (Y)	CA16NW043*0**B*	C60H210P299	0.16			16.00 / 13.00	41,500	202532982	Ultra Low NOx	
							15.20 / 13.00	39,500			
ADP Plenum	58SB1A070E2116	1405	GA5SAN442**WA*	PL60H210P29935	0.16		15.00 / 12.50	45,000	208596880		
							15.20 / 13.00	45,000			
	58SB1A070E2116	1405	CA16NW043*0**B*	PL60H210P29935	0.16			15.00 / 12.50	41,000	203277086	Ultra Low NOx
								15.20 / 13.00	39,000		
	58SU0A080E2120	1520 (Y)	GA5SAN442**WA*	PL60H210P29935	0.16			16.00 / 13.00	45,000	208131413	Two Stage
								15.20 / 13.00	45,000		
58SU0A080E2120	1520 (Y)	CA16NW043*0**B*	PL60H210P29935	0.16			16.00 / 13.00	41,500	202532981	"Slimline"	
							15.20 / 13.00	39,500			

The CA16NW04300G condensing unit will be available through late 2023.

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 3.5 Ton AC with 92% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1400 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipoise	59SC2D080E2120	1260 (Y)	GA5SAN442**WA*	CAPMP4321ALA	0.22		15.00 / 12.50	45,000	208028776		
							15.00 / 12.50	45,000			
	59SC2D080E2120	1260 (Y)	GA5SAN442**WA*	CAPMP4821ALA	0.23			15.00 / 12.50	45,000	208030555	
								15.00 / 12.50	45,000		
	59SC2D080E2120	1260 (Y)	CA16NW043*0**B*	CAPMP4821ALA	0.23			16.00 / 13.00	40,000	203209773	
								15.20 / 12.50	39,000		
	59SC2D080E2120	1260 (Y)	CA16NW043*0**B*	CAPMP6121ALA	0.28			16.00 / 13.00	41,000	203210199	
								15.20 / 12.50	40,000		
ADP Horizontal	59SC2D080E2120	1260 (Y)	GA5SAN442**WA*	C60H210P299	0.16			16.00 / 13.00	45,000	208129124	
								15.20 / 13.00	45,000		
	59SC2D080E2120	1260 (Y)	GA5SAN442**WA*	C60H210P299	0.16			16.00 / 13.00	45,000	208129124	
								15.20 / 13.00	45,000		
	59SC2D080E2120	1260 (Y)	CA16NW043*0**B*	C60H210P299	0.16			16.00 / 13.00	41,000	203363805	
								15.20 / 13.00	39,000		
	59SC2D080E2120	1260 (Y)	CA16NW043*0**B*	C60H210P299	0.16			16.00 / 13.00	41,000	203363805	
								15.20 / 13.00	39,000		
ADP Plenti	59SC2D080E2120	1260 (Y)	GA5SAN442**WA*	PL60H210P29935	0.16			16.00 / 13.00	45,000	208129123	
								15.20 / 13.00	45,000		
	59SC2D080E2120	1260 (Y)	CA16NW043*0**B*	PL60H210P29935	0.16			16.00 / 13.00	41,000	203277276	
								15.20 / 13.00	39,000		

The CA16NW04300G condensing unit will be available through late 2023.

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 3.5 Ton AC with 95% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1400 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipoise	59SC5B080E2120	1340 (Y)	GA5SAN442**WA*	CAPMP4821ALA	0.23		15.00 / 12.50	45,000	208030705		
							14.50 / 12.00	45,000			
	59SC5B080E2120	1340 (Y)	GA5SAN442**WA*	CAPMP6121ALA	0.28			15.00 / 12.50	45,000	208035308	
								15.20 / 12.50	45,000		
	59SC5B080E2120	1340 (Y)	CA16NW043*0**B*	CAPMP4321ALA	0.22			16.00 / 13.00	40,500	203831806	
								15.20 / 12.50	39,000		
59SU5A080E2120	1315 (Y)	GA5SAN442**WA*	CAPMP4821ALA	0.23			14.50 / 12.50	45,000	208030924	Ultra Low NOx Spacer Required	
							14.50 / 12.00	45,000			
59SU5A080E2120	1315 (Y)	CA16NW043*0**B*	CAPMP6121ALA	0.28			16.00 / 13.00	41,000	204028918	Ultra Low NOx Spacer Required	
							15.20 / 12.50	40,500			
ADP Horizontal	59SC5B080E2120	1340 (Y)	GA5SAN442**WA*	C60H210P299	0.16		15.00 / 12.50	45,000	208129174		
							15.20 / 13.00	45,000			
	59SC5B080E2120	1340 (Y)	CA16NW043*0**B*	C60H210P299	0.16			16.00 / 13.00	41,000	203962175	
								15.20 / 13.00	38,500		
	59SU5A080E2120	1315 (Y)	GA5SAN442**WA*	C60H210P299	0.16			15.00 / 12.50	45,000	208129212	Ultra Low NOx
								15.20 / 13.00	45,000		
59SU5A080E2120	1315 (Y)	CA16NW043*0**B*	C60H210P299	0.16			16.00 / 13.00	41,000	204114948	Ultra Low NOx	
							15.20 / 13.00	39,500			
ADP Plenum	59SC5B080E2120	1340 (Y)	GA5SAN442**WA*	PL60H210P29935	0.16		15.00 / 12.50	45,000	208129173		
							15.20 / 13.00	45,000			
	59SC5B080E2120	1340 (Y)	CA16NW043*0**B*	PL60H210P29935	0.16			16.00 / 13.00	41,000	203962174	
								15.20 / 13.00	38,500		
	59SU5A080E2120	1315 (Y)	GA5SAN442**WA*	PL60H210P29935	0.16			15.00 / 12.50	45,000	208129211	Ultra Low NOx
								15.20 / 13.00	45,000		
59SU5A080E2120	1315 (Y)	CA16NW043*0**B*	PL60H210P29935	0.16			16.00 / 13.00	41,000	204114947	Ultra Low NOx	
							15.20 / 13.00	39,500			

The CA16NW04300G condensing unit will be available through late 2023.

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 4.0 Ton AC with 80% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1600 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multiphoise	58SB1A110E2120	1545 (B)	GA5SAN448**WA*	CAPMP4821ALA	0.29		14.50 / 12.00 13.80 / 11.20	48,500 47,500	208048924	
	58SB1A110E2120	1545 (B)	GA5SAN449**WA*	CAPMP4821ALA	0.29		16.00 / 14.00 15.00 / 13.00	45,000 45,500	208830158	
	58SU0A080E2120	1520 (Y)	GA5SAN448**WA*	CAPMP4821ALA	0.29		15.00 / 12.50 14.50 / 12.00	47,500 47,500	208049123	Ultra Low NOx Spacer Required
	58SU0A080E2120	1520 (Y)	GA5SAN449**WA*	CAPMP4821ALA	0.29		16.50 / 14.00 15.50 / 13.50	45,500 45,000	208830254	Ultra Low NOx Spacer Required
	58TP1A090V2120	1630	GA7TAN448**WA*	CAPMP4821ALA	0.29		16.00 / 12.50 15.00 / 12.00	45,000 45,000	207851913	Two Stage
	58SB1A110E2120	1545 (B)	34SCA548W**30*	CAPMP4821ALA	0.29		14.50 / 12.00 14.00 / 12.00	47,000 46,000	208560713	"Slimline"
ADP Horizontal	58SB1A110E2120	1545 (B)	GA5SAN448**WA*	C60H210P299	0.20		16.00 / 13.00 14.50 / 12.00	48,000 48,500	208129288	
	58SB1A110E2120	1545 (B)	GA5SAN449**WA*	C60H210P299	0.20		16.00 / 13.00 15.20 / 13.50	46,000 46,000	209266379	
	58SU0A080E2120	1520 (Y)	GA5SAN448**WA*	C60H210P299	0.20		16.00 / 13.00 15.20 / 13.00	49,000 46,500	208131463	Ultra Low NOx
	58SU0A080E2120	1520 (Y)	GA5SAN449**WA*	C60H210P299	0.20		16.00 / 13.00 16.00 / 14.00	47,000 46,000	209266730	Ultra Low NOx
	58TP1A090V2120	1630	GA7TAN448**WA*	C60H210P299	0.20		16.00 / 13.00 16.00 / 12.00	46,000 47,500	208129912	Two Stage
	58SB1A110E2120	1545 (B)	34SCA548W**30*	C60H210P299	0.20		15.00 / 12.50 14.50 / 12.00	47,000 47,000	209226330	"Slimline"
ADP Plenum	58SB1A110E2120	1545 (B)	GA5SAN448**WA*	PL60H210P29935	0.20		16.00 / 13.00 14.50 / 12.00	48,000 48,500	208129287	
	58SB1A110E2120	1545 (B)	GA5SAN449**WA*	PL60H210P29935	0.20		16.00 / 13.00 15.20 / 13.50	46,000 46,000	209266375	
	58SU0A080E2120	1520 (Y)	GA5SAN448**WA*	PL60H210P29935	0.20		16.00 / 13.00 15.20 / 13.00	49,000 46,500	208131462	Ultra Low NOx
	58TP1A090V2120	1630	GA7TAN448**WA*	PL60H210P29935	0.20		16.00 / 13.00 16.00 / 12.00	46,000 47,500	208129911	Two Stage
	58SB1A110E2120	1545 (B)	34SCA548W**30*	PL60H210P29935	0.20		15.00 / 12.50 14.50 / 12.00	47,000 47,000	209226328	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 4.0 Ton AC with 92% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1600 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes	
Carrier Multipoise	59SC2D080E2120	1650	GA5SAN448**WA*	CAPMP4821ALA	0.29		15.00 / 12.50	47,000	208049510		
							14.50 / 12.50	47,000			
	59SC2D080E2120	1650	GA5SAN448**WA*	CAPMP6121ALA	0.36			16.00 / 13.00	48,500	208054045	
								15.20 / 12.50	48,500		
	59SC2D080E2120	1650	GA5SAN449**WA*	CAPMP6121ALA	0.36			17.00 / 14.00	46,500	208818939	
								16.00 / 13.50	46,500		
59SC2D080E2120	1650	34SCA548W**30*	CAPMP6121ALA	0.36			16.00 / 13.00	47,000	208560846	"Slimline"	
							15.00 / 12.50	47,000			
ADP Horizontal	59SC2D080E2120	1650	GA5SAN448**WA*	C60H210P299	0.20		16.00 / 13.00	48,500	208129320		
							15.20 / 12.50	48,500			
	59SC2D080E2120	1650	GA5SAN448**WA*	C60H210P179	0.31			16.00 / 13.00	48,000	208129326	
								15.20 / 12.50	48,500		
	59SC2D080E2120	1650	GA5SAN449**WA*	C60H210P299	0.20			16.00 / 13.00	46,500	209267802	
								16.00 / 14.00	45,000		
59SC2D080E2120	1650	34SCA548W**30*	C60H210P299	0.20			15.00 / 12.50	46,500	209226757	"Slimline"	
							15.20 / 12.50	47,000			
ADP Plenum	59SC2D080E2120	1650	GA5SAN448**WA*	PL60H210P29935	0.20		16.00 / 13.00	48,500	208129319		
							15.20 / 12.50	48,500			
	59SC2D080E2120	1650	GA5SAN449**WA*	PL60H210P29935	0.20			16.00 / 13.00	46,500	209267798	
								16.00 / 14.00	45,000		
	59SC2D080E2120	1650	34SCA548W**30*	PL60H210P29935	0.20			15.00 / 12.50	46,500	209226756	"Slimline"
								15.20 / 12.50	47,000		

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

Sigler Wholesale Distributors  
 Ratings and Match-Ups for Engineers and Energy Consultants  
 Effective March 24, 2023

### RNC System Selections: 4.0 Ton AC with 95% Furnaces

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 1600 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multiphoise	59SC5B100E2120	1560 (Y)	GA5SAN448**WA*	CAPMP4821ALA	0.29		15.00 / 12.50 13.80 / 11.20	47,500 47,500	208049629	
	59SC5B100E2120	1560 (Y)	GA5SAN449**WA*	CAPMP4821ALA	0.29		16.00 / 14.00 15.50 / 13.00	45,000 45,000	208830132	
	59SU5A080E2120	1525 (B)	GA5SAN448**WA*	CAPMP4821ALA	0.29		14.50 / 12.50 14.50 / 12.00	47,500 47,000	208049792	Ultra Low NOx Spacer Required
	59SU5A080E2120	1525 (B)	GA5SAN449**WA*	CAPMP6121ALA	0.36		16.00 / 13.00 16.00 / 13.50	46,500 46,000	208819520	Ultra Low NOx Spacer Required
	59TP6B080V2120	1625	GA7TAN448**WA*	CAPMP4821ALA	0.29		16.00 / 13.00 14.50 / 12.00	44,500 44,500	207852136	Two Stage
	59SC5B100E2120	1560 (Y)	34SCA548W**30*	CAPMP6121ALA	0.36		15.00 / 12.50 14.50 / 12.50	47,500 47,500	208560820	"Slimline"
ADP Horizontal	59SC5B100E2120	1560 (Y)	GA5SAN448**WA*	C60H210P299	0.20		15.00 / 12.50 15.20 / 12.50	48,500 47,500	208546144	
	59SC5B100E2120	1560 (Y)	GA5SAN449**WA*	C60H210P299	0.20		16.00 / 13.00 16.00 / 14.00	47,000 45,000	209268104	
	59SU5A080E2120	1525 (B)	GA5SAN448**WA*	C60H210P299	0.20		15.00 / 12.50 15.20 / 12.50	48,000 47,500	208129418	Ultra Low NOx
	59SU5A080E2120	1525 (B)	GA5SAN449**WA*	C60H210P299	0.20		16.00 / 12.50 16.00 / 14.00	46,500 45,000	209268460	Ultra Low NOx
	59TP6B080V2120	1625	GA7TAN448**WA*	C60H210P299	0.20		16.00 / 13.00 15.20 / 12.50	46,000 47,500	208129961	Two Stage
	59SC5B100E2120	1560 (Y)	34SCA548W**30*	C60H210P299	0.20		15.00 / 12.50 15.20 / 12.50	47,000 46,000	209226843	"Slimline"
ADP Plenum	59SC5B100E2120	1560 (Y)	GA5SAN448**WA*	PL60H210P29935	0.20		15.00 / 12.50 15.20 / 12.50	48,500 47,500	208546143	
	59SC5B100E2120	1560 (Y)	GA5SAN449**WA*	PL60H210P29935	0.20		16.00 / 13.00 16.00 / 14.00	47,000 45,000	209268101	
	59SU5A080E2120	1315 (Y)	GA5SAN448**WA*	PL60H210P29935	0.20		15.00 / 12.50 15.20 / 12.50	48,000 47,500	208129417	Ultra Low NOx
	59TP6B080V2120	1625	GA7TAN448**WA*	PL60H210P29935	0.20		16.00 / 13.00 15.20 / 12.50	46,000 47,500	208129960	Two Stage
	59SC5B100E2120	1440 (B)	34SCA548W**30*	PL60H210P29935	0.20		15.00 / 12.50 15.20 / 12.50	47,000 46,000	209226841	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

Sigler Wholesale Distributors  
Ratings and Match-Ups for Engineers and Energy Consultants  
Effective March 24, 2023

## RNC System Selections: 4.5 Ton AC

---

**The CA16NW054B0G condensing unit has been discontinued and is no longer available.**

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

### RNC System Selections: 5.0 Ton AC with 80% Furnaces

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 2000 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipurpose	58SB1A110E2120	1835	GA5SAN460**WA*	CAPMP6024ALA	0.31		14.50 / 12.00 14.50 / 12.00	57,500 56,000	208074001	Coil ≠ Furnace
	58SB1A110E2120	1835	GA5SAN461**WA*	CAPMP6121ALA	0.53		15.50 / 13.00 15.20 / 12.50	57,000 56,000	208858375	
	58SU0A100E2120	1815	GA5SAN460**WA*	CAPMP6024ALA	0.31		14.50 / 12.50 13.80 / 11.20	57,000 56,000	208074217	Ultra Low NOx Spacer Required
	58SU0A100E2120	1815	GA5SAN461**WA*	CAPMP6121ALA	0.53		15.50 / 13.00 15.20 / 12.50	56,500 56,000	208858120	Ultra Low NOx Spacer Required
	58TP1A090V2120	1775 (M)	GA7TAN460**WA*	CAPMP6121ALA	0.53		15.00 / 12.00 15.20 / 12.00	58,000 57,000	207859610	Two Stage
	58SB1A110E2120	1835	34SCA560W**30*	CAPMP6121ALA	0.53		14.50 / 12.00 13.80 / 11.50	58,000 57,500	208561310	"Slimline"
ADP Horizontal	58SB1A110E2120	1835	GA5SAN460**WA*	C60H210P299	0.30		14.50 / 12.20 14.50 / 12.00	57,500 56,500	208129467	
	58SB1A110E2120	1835	GA5SAN461**WA*	C60H210P299	0.30		15.00 / 12.50 15.20 / 12.50	56,500 55,500	209269151	
	58SU0A100E2120	1815	GA5SAN460**WA*	C60H210P299	0.30		15.00 / 12.50 14.50 / 12.00	57,000 56,000	208131510	Ultra Low NOx
	58SU0A100E2120	1815	GA5SAN461**WA*	C60H210P299	0.30		15.00 / 12.50 15.20 / 13.00	56,000 54,500	209269361	Ultra Low NOx
	58TP1A090V2120	1775 (M)	GA7TAN460**WA*	C60H210P299	0.30		15.00 / 12.00 15.20 / 12.00	56,500 55,500	208130010	Two Stage
	58SB1A110E2120	1835	34SCA560W**30*	C60H210P299	0.30		14.00 / 11.70 14.00 / 12.00	56,000 56,000	209227137	"Slimline"
ADP Plenum	58SB1A110E2120	1835	GA5SAN460**WA*	PL60H210P29935	0.30		14.50 / 12.20 14.50 / 12.00	57,500 56,500	208129466	
	58SB1A110E2120	1835	GA5SAN461**WA*	PL60H210P29935	0.30		15.00 / 12.50 15.20 / 12.50	56,500 55,500	209269148	
	58SU0A100E2120	1815	GA5SAN460**WA*	PL60H210P29935	0.30		15.00 / 12.50 14.50 / 12.00	57,000 56,000	208131509	Ultra Low NOx
	58TP1A090V2120	1775 (M)	GA7TAN460**WA*	PL60H210P29935	0.30		15.00 / 12.00 15.20 / 12.00	56,500 55,500	208130009	Two Stage
	58SB1A110E2120	1835	34SCA560W**30*	PL60H210P29935	0.30		14.00 / 11.70 14.00 / 12.00	56,000 56,000	209227136	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

**RNC System Selections: 5.0 Ton AC with 92% Furnaces**

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 2000 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipoise	59SC2D100E2122	1925	GA5SAN460**WA*	CAPMP6024ALA	0.31		14.50 / 12.50 13.80 / 11.20	57,000 57,000	208074428	Coil ≠ Furnace
	59SC2D100E2122	1925	GA5SAN460**WA*	CAPMP6121ALA	0.53		15.00 / 12.50 14.50 / 12.00	58,000 57,000	208075249	
	59SC2D100E2122	1925	GA5SAN460**WA*	CAPMP6124ALA	0.37		15.00 / 12.50 13.80 / 11.20	58,000 58,000	208076172	Coil ≠ Furnace
	59SC2D100E2122	1925	GA5SAN461**WA*	CAPMP6121ALA	0.53		16.00 / 13.50 15.20 / 13.00	56,500 56,000	208858429	
	59SC2D100E2122	1925	GA5SAN461**WA*	CAPMP6124ALA	0.37		16.00 / 13.50 15.20 / 13.00	56,500 56,000	208858635	Coil ≠ Furnace
	59SC2D100E2122	1925	34SCA560W**30*	CAPMP6121ALA	0.53		14.50 / 12.00 14.00 / 12.00	57,500 56,500	208561301	"Slimline"
ADP Horizontal	59SC2D100E2122	1925	GA5SAN460**WA*	C60H210P299	0.30		15.00 / 12.50 13.80 / 11.20	56,500 57,000	208129497	
	59SC2D100E2122	1925	GA5SAN460**WA*	C60H210P179	0.47		15.00 / 12.50 14.00 / 11.20	57,000 57,500	208876409	
	59SC2D100E2122	1925	GA5SAN461**WA*	C60H210P299	0.30		16.00 / 13.00 15.20 / 13.00	55,500 55,000	209269648	
	59SC2D100E2122	1925	34SCA560W**30*	C60H210P299	0.30		14.50 / 12.00 13.80 / 11.50	56,000 57,000	209227274	"Slimline"
	59SC2D100E2122	1925	GA5SAN460**WA*	PL60H210P29935	0.30		15.00 / 12.50 13.80 / 11.20	56,500 57,000	208129496	
ADP Plenum	59SC2D100E2122	1925	GA5SAN461**WA*	PL60H210P29935	0.30		16.00 / 13.00 15.20 / 13.00	55,500 55,000	209269647	
	59SC2D100E2122	1925	34SCA560W**30*	PL60H210P29935	0.30		14.50 / 12.00 13.80 / 11.50	56,000 57,000	209227273	"Slimline"
	59SC2D100E2122	1925	GA5SAN460**WA*	PL60H210P29935	0.30		15.00 / 12.50 13.80 / 11.20	56,500 57,000	208129496	

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.



Turn to the experts

### RNC System Selections: 5.0 Ton AC with 95% Furnaces

	Furnace Model	Maximum Airflow at 0.8" ESP	Air Conditioner Model	Coil Model	Wet ESP at 2000 CFM	System Price	SEER / EER SEER <sub>2</sub> / EER <sub>2</sub>	Capacity Capacity <sub>2</sub>	AHRI Number	Notes
Carrier Multipurpose	59SC5B100E2122	1940	GA5SAN460**WA*	CAPMP6024ALA	0.31		14.50 / 12.50 13.80 / 11.20	57,000 56,500	208074547	Coil ≠ Furnace
	59SC5B100E2122	1940	GA5SAN461**WA*	CAPMP6121ALA	0.53		15.50 / 13.50 15.20 / 13.00	57,000 55,500	208858212	
	59SU5A100E2122	1915	GA5SAN460**WA*	CAPMP6024ALA	0.31		14.50 / 12.00 13.80 / 11.20	57,000 56,500	208074747	Ultra Low NOx Spacer Required
	59SU5A100E2122	1915	GA5SAN461**WA*	CAPMP6121ALA	0.53		16.00 / 13.50 15.20 / 12.50	56,500 56,500	208858233	Ultra Low NOx Spacer Required
	59TP6B100V2122	2080 (M)	GA7TAN460**WA*	CAPMP6121ALA	0.53		16.00 / 12.00 15.20 / 12.00	57,500 57,500	207859616	Two Stage
	59SC5B100E2122	1940	34SCA560W**30*	CAPMP6121ALA	0.53		15.00 / 12.50 14.00 / 11.50	57,500 57,500	208561302	"Slimline"
ADP Horizontal	59SC5B100E2122	1940	GA5SAN460**WA*	C60H210P299	0.30		15.00 / 12.50 14.00 / 11.50	57,000 55,000	208129525	
	59SC5B100E2122	1940	GA5SAN461**WA*	C60H210P179	0.47		15.00 / 12.50 15.20 / 13.00	56,500 55,500	209269701	
	59SU5A100E2122	1915	GA5SAN460**WA*	C60H210P299	0.30		15.00 / 12.50 14.50 / 12.00	56,500 56,500	208129553	Ultra Low NOx
	59SU5A100E2122	1915	GA5SAN461**WA*	C60H210P179	0.47		15.00 / 12.50 15.20 / 12.50	56,500 56,000	209269781	Ultra Low NOx
	59TP6B100V2122	2080 (M)	GA7TAN460**WA*	C60H210P299	0.30		15.00 / 12.50 15.20 / 12.00	56,500 56,000	208130025	Two Stage
	59SC5B100E2122	1940	34SCA560W**30*	C60H210P299	0.30		14.50 / 12.00 14.00 / 11.50	55,500 56,500	209227331	"Slimline"
ADP Plenum	59SC5B100E2122	1940	GA5SAN460**WA*	PL60H210P29935	0.30		15.00 / 12.50 14.00 / 11.50	57,000 55,500	208129524	
	59SC5B100E2122	1940	GA5SAN461**WA*	PL60H210P29935	0.30		15.00 / 12.50 15.20 / 13.00	56,000 55,000	209269698	
	59SU5A100E2122	1915	GA5SAN460**WA*	PL60H210P29935	0.30		15.00 / 12.50 14.50 / 12.00	56,500 56,500	208129552	Ultra Low NOx
	59TP6B100V2122	2080 (M)	GA7TAN460**WA*	PL60H210P29935	0.30		15.00 / 12.50 15.20 / 12.00	56,500 56,000	208130024	Two Stage
	59SC5B100E2122	1940	34SCA560W**30*	PL60H210P29935	0.30		14.50 / 12.00 14.00 / 11.50	55,500 56,500	209227330	"Slimline"

Bakersfield • Concord • Fresno • North Sacramento • Sacramento • Santa Rosa • San Jose • South San Francisco

Prices are subject to change without notice and are quoted FOB our warehouses. For quantity discount pricing, contact your territory manager. We reserve the right to refuse sale to contractors who are not qualified or trained to sell and/or install this equipment. Some warehouses only stock limited sizes and models -- please call for availability. In the case of a shortage or lack of inventory, we will not be obligated to replace ordered equipment with other equipment or brands at the same price. Customer credit account must be in good standing, all sales subject to standard Carrier terms and conditions. These pages were designed as a quick reference, always refer to a current product data digest for detailed information.