



Turn to the experts

# COMPATIBILITY CHARTS

**DUCTLESS  
SYSTEMS**

## TABLE OF CONTENTS

### SINGLE ZONE DUCTLESS

Compatibility Single Zone – Infinity® Series.....	2
Compatibility Single Zone – Performance® Series.....	3
Compatibility Single Zone Hybrid Solutions – Performance® Series.....	4-5
Compatibility Single Zone – Comfort® Series.....	6

### MULTI-ZONE DUCTLESS

Compatibility Multi-zone – Performance® Series.....	7
---	---

### CONTROLS DUCTLESS

Compatibility Controls.....	8
-----------------------------	---



Turn to the experts

# COMPATIBILITY CHARTS

**DUCTLESS  
SYSTEMS**

## Compatibility Single Zone – Infinity® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT				
		38MPRAQ09AA3	38MPRAQ12AA3		38MPRAQ18AA3	38MPRAQ24AA3
		38MPRBQ09AA3	38MPRBQ12AA3	38MPRBQ18AA3		
High Wall	40MPHAQ09XA3	40MPHBQ09XA3	•			
	40MPHAQ12XA3	40MPHBQ12XA3		•		
		40MPHBQ18XA3		•		
	40MPHAQ18XA3				•	
	40MPHAQ24XA3					•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

# COMPATIBILITY CHARTS

**DUCTLESS SYSTEMS**

## Compatibility Single Zone – Performance® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT																					
		38MAQB12--1	38MAQB09--3	38MAQB12--3	38MAQB18--3	38MAQB24--3	38MAQB30--3		38MBQB36--3	38MBQB48--3													
		38MAQB12R-1	38MAQB09R--3	38MAQB12R--3	38MAQB18R--3	38MAQB24R--3	38MAQB30R--3	38MAQB36R--3		38MBRQ36A-3	38MBRQ48A-3												
		38MARBQ12AA1	38MARBQ06AA3	38MARBQ09AA3	38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3	38MARBQ36AB3	38MBRCQ36AA3	38MBRCQ48AA3	38MBRCQ58AA3										
High Wall	40MAQB12B--1	40MAHBQ12XA1	•																				
		40MAHBQ06XA3		•																			
	40MAQB09B--3	40MAHBQ09XA3			•																		
	40MAQB12B--3	40MAHBQ12XA3				•																	
	40MAQB18B--3	40MAHBQ18XA3					•																
	40MAQB24B--3	40MAHBQ24XA3						•															
Cassette	40MAQB30B--3	40MAHBQ30XA3							•														
	40MAQB36B--3	40MAHBQ36XA3								•													
	40MBQB09C--3	40MBCQ09--3				•																	
	40MBQB12C--3	40MBCQ12--3					•																
	40MBQB18C--3	40MBCQ18--3						•															
	40MBCQ24--3	40MBCAQ24XA3							•														
Ducted	40MBCQ36--3	40MBCAQ36XA3																					
	40MBCQ48--3	40MBCAQ48XA3																					
	40MBQB09D--3	40MBDQ09--3				•																	
	40MBQB12D--3	40MBDQ12--3					•																
	40MBQB18D--3	40MBDQ18--3						•															
	40MBQB24D--3	40MBDQ24--3							•	•													
Console	40MBQB36D--3	40MBDQ36--3																					
	40MBQB48D--3	40MBDQ48--3																					
		40MBDQ58--3																					•
	40MBQB12F--3	40MBFQ12--3					•																
		40MBFQ18--3						•															
		40MBFQ24--3							•														
Air Handler		40MBFQ36--3							•														
		40MBFQ48--3																					
		40MBFQ58--3																					•
		40MBABQ18XB3							• †														
	40MBAAQ24XA3	40MBABQ24XB3								• †													
		40MBABQ30XB3									• †												
40MBAAQ36XA3	40MBABQ36XA3																					• †	
40MBAAQ48XA3	40MBABQ48XA3																					• †	
	40MBABQ60XA3																						• †

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

† Notes:  
Compatible with phased out outdoor unit models starting with serial number: 5122V10319, see TIC 2022-0021 for additional information



Turn to the experts

# COMPATIBILITY CHARTS

**DUCTLESS  
SYSTEMS**

## Compatibility Single Zone Hybrid Solutions – Performance® Series with Fan Coils

INDOOR UNIT		OUTDOOR UNIT						
		38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3	38MBRCQ48AA3	38MBRCQ58AA3
FB4C Fan Coil	FB4CNF018L	‡	‡					
	FB4CNP018L	‡	‡					
	FB4CNF024L			‡				
	FB4CNP024L			‡				
	FB4CNF030L				‡			
	FB4CNP030L				‡			
	FB4CNF036L					‡		
	FB4CNP036L					‡		
	FB4CNP060L						‡	
FB4CNP061L						‡	‡	
FMA4X Fan Coil	FMA4X18**AL*	‡	‡					
	FMA4X24**AL*			‡				
	FMA4X30**AL*				‡			
	FMA4X36**AL*					‡		
FX4D Fan Coil	FX4DNF019L	‡	‡					
	FX4DNF025L			‡				
	FX4DNF031L				‡			
	FX4DN(B,F)037L					‡		
	FX4DN(B,F)049L						‡	
FX4DN(B,F)061L						‡	‡	
FV4C Fan Coil	FV4CNF002L	‡	‡	‡				
	FV4CN(B,F)003L				‡	‡		
	FV4CN(B,F)005L						‡	
	FV4CNB006L						‡	‡
FMC - FMU Fan Coil	FM(C,U)4Z18**AL*	‡	‡					
	FM(C,U)4Z24**AL*			‡				
	FM(C,U)4Z30**AL*				‡			
	FM(C,U)4Z36**AL*					‡		

**Notes:**

‡ Requires 24V interface KSAIC0301230. TXV on the indoor unit or cased coil shall be removed. 24V Transformer on the 24V interface shall be removed. Consult the Installation instructions manual.

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

# COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

## Compatibility Single Zone Hybrid Solutions – Performance® Series with Furnace/Case Coils

INDOOR UNIT		OUTDOOR UNIT						
		38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3	38MBRCQ48AA3	38MBRCQ58AA3
80% AFUE Furnace †	58S(B,C)*A045E14**12	B‡	A, B, C, D‡	B, E‡	E‡	I‡		
	58S(B,C)*A045E17**12	C‡	A, C, D‡	G‡	F‡	G, I, J‡		
	58S(B,C)*A070E14**12	B‡	A, B, C, D‡	B, E‡	E‡	G‡		
	58S(B,C)*A070E17**12		C‡	C, F, G‡		I, J‡		
	58S(B,C)*A070E17**16	C‡			F‡			
	58S(B,C)*A070E21**16	H‡			H‡		M, N, O, P, Q‡	
	58S(B,C)*A090E17**14					G, H, I, J‡		
	58S(B,C)*A090E21**16	H‡			H‡	H, J‡	N, O‡	
	58S(B,C)*A090E21**20					H, J‡	M, N, O, P, Q‡	O, P, Q‡
	58S(B,C)*A090E24**20						N, O, Q‡	O, Q‡
	58S(B,C)*A110E21**20					H, J‡		
	58S(B,C)*A110E24**20							O, Q‡
	58S(B,C)*A135E24**20						N, O, Q‡	
	58S(B,C)*A155E24**20							O, Q‡
	58SU*A040E17**12	C‡	A, C, D‡	C, F, G‡	F‡	G, H, I, J‡	P‡	
	58SU*A060E17**16			C, F, G‡		G, H, I, J‡	M, P‡	
	58SU*A080E21**20					H‡	M, N, O, P, Q‡	O, P, Q‡
	58SU*A100E21**20					H‡	N, O, Q‡	O, Q‡
	58TP*A045V14**12	B‡	A, B, C, D‡	B, E‡	E‡	G, I‡		
	58TP*A070V14**12		A, B, C, D‡			I‡		
	58TP*A070V17**16		A, C, D‡	C, F, G‡		G, H, I‡	P‡	
	58TP*A090V17**16		A, C, D‡			G, H, I‡	M, P‡	
	58TP*A090V21**20					H, J‡	N, O, P, Q‡	
	58TP*A110V21**22						N, O, P, Q‡	
	58TP*A135V24**22						N, O, Q‡	Q‡
	90% AFUE Furnace †	59SC2D040E14**10	B‡	A, B, C, D‡	B, E‡	E‡		
		59SC2D040E17**12		A, C‡				
		59SC2D060E14**12	B‡	A, B, C, D‡	B, E‡	E‡	G, I‡	
59SC2D060E17**14		C‡		B, E‡	F‡	G, H‡		
59SC2D080E17**16		C‡	C‡	C, F, G‡	F‡	G, H, I‡		
59SC2D080E21**20							M, N, O, P, Q‡	
59SC2D100E21**20							M, N, O, P, Q‡	
59SC2D100E21**22							M, N, O, P, Q‡	
59SC2D120E24**20							O‡	
59SC5B026E14**10		C‡	A, B, C, D‡	B, E‡				
59SC5B040E14**10		C‡	A, B, C, D‡	B, C, E, F, G, I‡	E, G, I‡			
59SC5B040E17**12		C‡	A, C, D‡	C, D, F, G, H, I, J‡	F, G, H, I, K, L‡			
59SC5B060E14**12		B‡	B, C‡	B, C, D, E, F, G, I‡	E, F, G, I‡			
59SC5B060E17**14			A, C, D‡	C, D, F, G, H, I, J‡	F, G, H, I, J, K, L‡			
59SC5B080E17**16		C‡			F‡			
59SC5B080E21**20		H‡			H‡		M, N, O, P, Q‡	
59SC5B100E21**20							M, N, O, P, Q‡	
59SC5B100E21**22							M, N, O, P, Q‡	
59SC5B120E24**22							N, O, Q‡	
59SC5B140E24**22							N, O, Q‡	
59SU5A040E17**12		C‡	A, C, D‡	C, F, G‡	F‡			
59SU5A080E21**20							N, O, P, Q‡	
59SU5A100E21**22							M, N, O, Q‡	
59TP6B040V14**10		B‡	A, B, C, D‡	B, E‡	E‡			
59TP6B040V17**12		C‡	A, C, D‡	C, F, G‡	F‡			
59TP6B060V14**12		B‡	A, B, C, D‡	B, E‡	E‡			
59TP6B060V17**14		C‡	A, C, D‡	C, F, G‡	F‡	G, H, I‡		
59TP6B080V17**16		C‡	D‡	C, F, G‡	F‡	H, I, J‡		
59TP6B080V21**20	H‡			H‡	H, J‡			
59TP6B100V21**20	H‡			H‡	H‡	O, P, Q‡		
59TP6B100V21**22					H, J‡	M, N, O, P, Q‡		
59TP6B120V24**22						N, O, Q‡		

Key	Multi-poise A Coil	Vertical N Coil
A	CAP**1917AL*	
B	CAP**2414AL*	CNPV**1814AL* CNPV**2414AL*
C	CAP**2417AL*	CNPV**2417AL*
D	CAP**2517AL*	CNPV**2417AL*
E	CAP**3014AL*	CNPV**3014AL*
F	CAP**3017AL*	CNPV**3017AL*
G	CAP**3617AL*	CNPV**3617AL*
H	CAP**3621AL*	CNPV**3621AL*
I	CAP**3717AL*	CNPV**4217AL*
J	CAP**3721AL*	CNPV**4221AL*
K	CAP**4221AL*	CNPV**4221AL*
L	CAP**4321AL*	CNPV**4221AL*
M	CAP**4821AL*	
N	CAP**4824AL*	
O	CAP**6024AL*	
P	CAP**6121AL*	
Q	CAP**6124AL*	

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

Notes:

† Furnaces are available in 115V. ODU is only available in 230V. Consult the Installation instructions manual.

‡ Requires 24V interface KSAIC0301230. TXV on the indoor unit or cased coil shall be removed. 24V Transformer on the 24V interface shall be removed. Consult the Installation instructions manual.

Letter indicates similar sized cased coil options. Check AHRI Listings for specific compatible combinations.



Turn to the experts

# COMPATIBILITY CHARTS

DUCTLESS  
SYSTEMS

## Compatibility Single Zone – Comfort® Series

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT					
		38MHRC09A--1	38MHRC12A--1	38MHRC09A--3	38MHRC12A--3	38MHRC18A--3	38MHRC24A--3
		38MHRBC12AA1	38MHRCC12AA1	38MHRBC12AA3	38MHRCC12AA3	38MHRBC18AA3	38MHRCC18AA3
High Wall	40MHHC09---1	•					
	40MHHC12---1		•				
	40MHHC12--A1		•				
	40MHHC09---3			•			
	40MHHC12---3				•		
	40MHHC12--A3				•		
	40MHHC18---3					•	
40MHHC24---3						•	

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT					
		38MHRQ09A--1	38MHRQ12A--1	38MHRQ09A--3	38MHRQ12A--3	38MHRQ18A--3	38MHRQ24A--3
		38MHRBQ12AA1	38MHRBQ12AA1	38MHRBQ09AA3	38MHRBQ12AA3	38MHRBQ18AA3	38MHRBQ24AA3
High Wall	40MHHQ09---1	•					
	40MHHQ12---1		•				
	40MHHQ09---3			•			
	40MHHQ12---3				•		
	40MHHQ18---3					•	
	40MHHQ24---3						•

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT				
		38MFC009---1	38MFC012---1	38MFC012---3	38MFC018---3	38MFC022---3
High Wall	40MFC009---1	•				
	40MFC012---1		•			
	40MFC012---3			•		
	40MFC018---3				•	
	40MFC022---3					•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT				
		38MFQ009---1	38MFQ012---1	38MFQ012---3	38MFQ017---3	38MFQ022---3
High Wall	40MFQ009---1	•				
	40MFQ012---1		•			
	40MFQ012---3			•		
	40MFQ017---3				•	
	40MFQ022---3					•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

# COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

## Compatibility Multi-zone – Performance® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT						
		38MGQC18---3	38MGQD27---3			38MGQF36---3 †	38MGQF48---3 †	
		38MGRQ18B--3	38MGRQ24C--3	38MGRQ30D--3		38MGRQ36D--3 †	38MGRQ48E--3 †	
		38MGRBQ18BA3	38MGHBQ24CA3	38MGHBQ30DA3	38MGRBQ36DA3	38MGHBQ36DA3	38MGRBQ48EA3	38MGHBQ48EA3
High Wall Infinity	40MPHAQ09XA3	40MPHBQ09XA3	•	•	•	•	•	•
	40MPHAQ12XA3	40MPHBQ12XA3	•	•	•	•	•	•
		40MPHBQ18XA3			•	•	•	•
	40MPHAQ18XA3							
	40MPHAQ24XA3							
High Wall Performance		40MAHBQ06XA3	•	•	•	•	•	•
	40MAQB09B--3	40MAHBQ09XA3	•	•	•	•	•	•
	40MAQB12B--3	40MAHBQ12XA3	•	•	•	•	•	•
	40MAQB18B--3	40MAHBQ18XA3		•	•	•	•	•
	40MAQB24B--3	40MAHBQ24XA3			•	•	•	•
		40MAHBQ30XA3				•†	•†	•
	40MAHBQ36XA3				•†	•†	•	
High Wall Comfort		40MHHQ09---3	•	•	•	•	•	•
		40MHHQ12---3	•	•	•	•	•	•
		40MHHQ18---3		•	•	•	•	•
		40MHHQ24---3			•	•	•	•
Cassette		40MBCQ09---3	•	•	•	•	•	•
		40MBCQ12---3	•	•	•	•	•	•
		40MBCQ18---3		•	•	•	•	•
	40MBCQ24---3	40MBCAQ24XA3			•	•	•	•
Ducted	40MBQB09D--3	40MBDQ09---3	•	•	•	•	•	•
	40MBQB12D--3	40MBDQ12---3	•	•	•	•	•	•
	40MBQB18D--3	40MBDQ18---3		•	•	•	•	•
	40MBQB24D--3	40MBDQ24---3			•	•	•	•
Console	40MBQB12F--3	40MBFQ12---3	•	•	•	•	•	•
		40MBFQ18---3		•	•	•	•	•
		40MBFQ24---3			•	•	•	•
Air Handler †		40MBABQ18XB3		•	•	•	•	•
	40MBAAQ24XA3	40MBABQ24XB3			•	•	•	•
		40MBABQ30XB3				•†	•†	•†
		40MBABQ36XB3				•†	•†	•†

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

† Notes:

A maximum two (2) AHUs can be added to a MZ system. Refer to the application tables in the product data for allowed combinations. Regardless of size, when two (2) AHUs are connected to any MZ ODU, no other indoor units can be added to the system. If a 30k or 36k AHU is connected to a any outdoor unit, 500g (17.6 Oz) of additional refrigerant charge has to be added to the system. 30k or 36k indoor units are not compatible with phased out models.



Turn to the experts

# COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

## Compatibility Controls

	Indoor unit type	Indoor Family Name	HIGH WALL					CASSETTE		DUCTED	CONSOLE	AIR HANDLER	
			Single Zone / Multi-zone	40MPHA	40MPHB	40MAQ	40MAHB	40MHH	40MBCQ	40MBCAQ	40MBDQ	40MBFQ	40MBAA
WIRED CONTROLLERS	KSACN0101AAA	Single Zone & Multi-zone		○ 18k	○	○	○	○	○	○	○		
	KSACN0401AAA	Single Zone & Multi-zone	○		○ †		○				○ 9-12 ‡		
	KSACN0501AAA	Single Zone & Multi-zone						○		●	○ 18-58		
	KSACN0601AAA	Single Zone & Multi-zone	○	○ 9-12k	○ †		○				○ 9-12 ‡		
	KSACN0701AAA	Single Zone & Multi-zone						○	○	●**	○ 18-58		
	KSACN0801AAA	Single Zone & Multi-zone		○ 18k		○							
	KSACN1001AAA	Single Zone & Multi-zone											●
24V INTERFACE*	KSAIC0101115	Single Zone Only			○ 115V		○ 115V						
	KSAIC0101230	Single Zone Only	○		○ 230V		○ 230V	○		○	○ 12-58 †		
	KSAIC0301230	Single Zone & Multi-zone	○	○	○ 230V	○ 230V	○ 230V	○	○	○	○ 12-58 †	BUILT-IN	BUILT-IN
WI-FI KITS	KSAIF0101AAA	Single Zone & Multi-zone					○ 9/12/24k						
	KSAIF0201AAA	Single Zone & Multi-zone					○ 18k						
	KSAIF0301AAA	Single Zone & Multi-zone	┘	┘	○	┘	┘						
	KSAIF0401AAA	Single Zone & Multi-zone						○		○	○ 18-58		○
	KSAIF0601AAA	Single Zone & Multi-zone	●	●		○			○				

○	Optional
●	Standard

Notes:

† 7 Day programmable compatible with indoor units starting with Serial Number 0216V10001.

‡ Compatible with indoor units starting with Serial Number 0117V10001.

\*\* Starting with Serial Number 2820V10001 (Week 28, Year 2020) the KSACN0701AAA became the standard controller but is backwards compatible with previous production units.

\*24V interface compatible with all indoor units starting with Serial Number 4216V10001 unless noted.

† 24V Interface compatible with all the sizes except sizes 12 and 58 depending on serial number. Starting with Serial Number 1419V10001 the sizes 12 and 58 are shipped with the control board. Units built prior these serial number would require a Control Board Replacement on the Indoor unit in order to be compatible.

‡ Require a Control Board Replacement on the Indoor unit for compatibility, consult EPIC for the latest product revision.

○ than the 40MAQ,

● install the USB WiFi Dongle 17310900000281 into the high wall unit's factory USB port only and discard all other components of the KSAIF0301AAA kit.

○ Board replacement for forward compatibility is not covered as a warranty claim

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS